

# Table of Contents

## List of Procedures

Page

1	Pre-start
2	Gauges, Controls
3	Hand Signals
4	Start Engine
5	Moving Forward
6	Stopping
7	Backing Straight
8	Backing Around Corner
9	Left Turns
10	Right Turns
11	Lateral Maneuvers-Move to Curb
12	Lateral Maneuvers-Move into Traffic
13	Reference Points
14	Speed Control
15	Lane Position
16	Cover Brake
17	Right Alley Turnabout
18	Left Alley Turnabout
19	Y Turnabout
20	Uncontrolled Intersection
21	Securing and Leaving Vehicle
22	Angle Parking
23	Perpendicular Parking
24	Parking Uphill
25	Parking Downhill
26	Parallel Parking
27	Lane Changing
28	Following Distance
29	Scanning Skills
30	Multi-lane intersection
31	Passing on a two lane highway
32	Lane Control

Page

33	Freeway Merging
34	Freeway Exiting
35	Passing, Multilane
36	Oil Check
37	Critical Tasks
38	Engine Failure
39	Brake Failure
40	Stuck Accelerator
41	Off Road Recovery
42	Loss of Forward Vision
43	Headlight Failure
44	Hazard Avoidance
45	Threshold Braking
46	Destination Drive
47	Drive Test (page 1)
48	Drive Test (page 2)

### Editors Note

Arrows (↗) always are at the front of the vehicle. They indicate the direction of the vehicle.

## Pre-Start



1



2



3



4



5



6

1. Put key in ignition.
2. Lock all doors.
3. Adjust Seat and Head Restraint.

4. Adjust inside and outside mirrors.
5. Check for loose articles.
6. Fasten safety belt.

## Gauges and Controls (Introduction)



### Overview of Gauges

Critical Gauges - Oil, Fuel, Speedometer, Engine Temperature,  
Warning Gauges - ABS, Service Engine, Brake Light, Tachometer  
Safety Gauges- Seat Belt, ABS, Airbags

### Overview of Controls

Critical Controls - Brake pedal, Gas pedal, Wheel, Gear Shift Lever  
Warning Controls - Turn Signals, Hazards  
Safety Controls - Emergency Brake, Lights, Brights, Wipers

## Hand Signals

Left Turn Hand Signal



Left hand and arm are extended straight out the window, with hand pointing to the left.

Right Turn Hand Signal



Left hand and arm are extended straight out the window, with hand pointing straight up and with the elbow forming a 90 degree angle.

Stop/Slow Hand Signal



Left hand and arm are extended straight out the window, with hand pointing straight down and with the elbow forming a 90 degree angle.

## Start Engine



1



2



3



4



5



6

1. Check that parking brake is on.
2. Make sure gear selector is in park.
3. Hold down brake pedal.

4. Turn key to start position
5. Release when engine starts
6. Check gauges